ELSEVIER

Journal of Organometallic Chemistry 627 (2001) 265

Journal of Organometallic Chemistry

www.elsevier.nl/locate/jorganchem

Author Index of Volume 627

Albertin, G., 99
Allan, G.M., 189
Ananikov, V.P., 132
Anderson, J.R., 37
Antoniutti, S., 99
Arjona, O., 105

Barclay, T., 80
Beletskaya, I.P., 132
Bencze, É., 55
Blümel, J., 44
Böhme, U., 144
Bordignon, E., 99
Brethon, A., 239
Brunner, H., 139

Caballero, A., 263
Campi, E.M., 37
Casalboni, M., 13
Chen, J., 255
Choi, N.-S., 226
Chung, Y.K., 233
Churakov, A.V., 1
Colapietro, M., 13
Comte, V., 153
Cordes, W., 80
Csákÿ, A.G., 105

D'Amato, R., 13
Dickson, R.S., 37, 201
Díez-Barra, E., 263
Dinjus, E., 249
Du, H., 127

Ernst, C., 249

Falconieri, M., 13
Fallon, G.D., 201
Fan, H.-T., 255
Furlani, A., 13

Gómez-Lor, B., 159
Gupta, B.D., 80

Haiduc, I., 6
Han, J.W., 233
Haubrich, S., 44
Herrmann, W.A., 55
Herzog, U., 23, 144
Hesemann, P., 239
Hilbig, H., 71
Howie, R.A., 189
Hu, Q.-M., 255
Huang, X.-Y., 255

Iglesias, M., 159
Inoue, Y., 121

Jackson, W.R., 37
Jalón, F.A., 263
Jamis, J., 37

Kabuto, C., 121
Karlov, S.S., 1
Kickelbick, G., 167
Kłys, A., 135
Köhler, F.H., 71
Kühn, F.E., 55

Lapinte, C., 179
Lee, B.Y., 233
Lee, I.S., 233
Lee, S.W., 226
Leis, F., 139
Liang, Y.-m., 93
Linti, G., 133
Liu, Q., 127
Liu, W.-m., 93
Liu, W.-y., 93
Lokshin, B.V., 55
Lorberth, J., 1
Lu, G.-L., 255

Ma, Y.-x., 93
Mahon, M.F., 6
Mayadunne, R., 201
Merckle, C., 44
Merino, S., 263
Mink, J., 55
Mitchenko, S.A., 132
Miyano, S., 121
Molloy, K.C., 6
Moreau, J.J.E., 239
Mori, H., 121
Mörtl, K., 71
Muir, K.W., 67
Mula, M.B., 105
Murcia, M.C., 105

Nakamura, A., 221
Nakayama, Y., 221
Nazarski, R.B., 135

Pétillon, F.Y., 67
Pietzsch, C., 167
Plumet, J., 105
Portalone, G., 13

Rautz, H., 167
Réjaud, L., 239
Rheinwald, G., 23, 144
Rickard, C.E.F., 206
Rodríguez, A.M., 263
Russo, M.V., 13

Saito, H., 221
Santos, A., 159
Sato, T., 121
Schollhammer, P., 67
Seo, H., 233
Shi, S., 127
Shutov, P.L., 1
Singh, V., 80
Skakle, J.M.S., 189
Song, L.-C., 255
Stüger, H., 167
Sugawara, S., 121
Sun, J., 255
Sutherland, H.S., 206

Talarmin, J., 67
Tasin, A., 99
Tejeda, J., 263
Thépot, J.-Y., 179
Tiwari, U., 80
Tsukada, N., 121

Ueyama, N., 221

Vahrenkamp, H., 153
Venter, M.M., 6

Wachter, J., 139
Walter, O., 249
Wardell, J.L., 189
Wardell, S.M.S.V., 189
Wong Chi Man, M., 239
Woodgate, P.D., 206

Xie, T., 93

Yamuna, R., 80

Zabel, M., 139
Zaitseva, G.S., 1
Zakrzewski, J., 135
Zhang, Q.-Q., 201
Zhang, S., 127

PII: S0022-328X(01)00808-7

ELSEVIER

Journal of Organometallic Chemistry 627 (2001) 267–271

Journal of Organometallic Chemistry

www.elsevier.nl/locate/jorganchem

Subject Index of Volume 627

Absolute configuration
Diastereomeric amides from *rac*-3,3′,4,4′-tetramethyl-1,1′-diphosphaferrocene-2-carboxylic acid and (*S*)-α-phenylethylamine: separation and determination of absolute configuration, 135

Alkyne
Insertion of alkynes into diterpenoid chromium aminocarbenes: synthesis of ring-C aromatic steroidal analogues, 206
New approach to 1-(phenylethynyl)germatranes and 1-(phenylethynyl)-3,7,10-trimethylgermatrane. Reactions of 1-(phenylethynyl)germatrane with *N*-bromosuccinimide and bromine, 1

Allyl complexes
Cp*Ru-allylcarbene complexes by nucleophilic attack of cyclic Cp*Ru-dicarbenes, 249

π-Allylpalladium
Synthesis and crystal structure of twisted dinuclear η^3-allylpalladium complexes containing tetradentate nitrogen ligands, 121

Amide
Diastereomeric amides from *rac*-3,3′,4,4′-tetramethyl-1,1′-diphosphaferrocene-2-carboxylic acid and (*S*)-α-phenylethylamine: separation and determination of absolute configuration, 135

Aminocarbene
Insertion of alkynes into diterpenoid chromium aminocarbenes: synthesis of ring-C aromatic steroidal analogues, 206

Aqueous solution
Modified silica-heterogenised catalysts for use in aqueous enantioselective hydrogenations, 37

Arsenic
Dinuclear molybdenum complexes containing the novel μ,$\eta^{1,3}$-AsS_2 ligand: synthesis and molecular structure of $[\{Cp^*Mo_2(CO)_2As_2S_4\}\cdot 2Cr(CO)_5]\cdot 0.5CH_2Cl_2$ ($Cp^* = C_5Me_5$), 139

Aryldiazene complexes
Preparation of aryldiazene complexes of rhodium, 99

Asymmetric hydrogenation
Modified silica-heterogenised catalysts for use in aqueous enantioselective hydrogenations, 37

Biferrocene
From dihydropentafulvalenes to asymmetric biferrocene and terferrocene, 71

Bifunctional ligands
Immobilized rhodium hydrogenation catalysts, 44

Bis-μ-thiolato complexes
A comparison of the reactions of pentacarbonyliron with cyclic thioethers and related dialkyl sulfides, 201

Bromination
Bromination of ferrocene chalcone derivatives mediated by β-cyclodextrin, 93
New approach to 1-(phenylethynyl)germatranes and 1-(phenylethynyl)-3,7,10-trimethylgermatrane. Reactions of 1-(phenylethynyl)germatrane with *N*-bromosuccinimide and bromine, 1

Bromopentaarylcyclopentadienes
A convenient synthesis of bromopentaarylcyclopentadienes containing methyl or fluorine substituents, 179

Butterfly iron carbonyl complexes
Synthesis of single and double butterfly iron carbonyl complexes by reactions of $[(\mu\text{-RSe})(\mu\text{-CO})Fe_2(CO)_6]^-$ anions. Crystal structures of $(\mu\text{-}p\text{-}MeC_6H_4Se)[\mu\text{-}PhCH_2N(H)C{=}S]Fe_2(CO)_6$ and $[(\mu\text{-PhSe})(\mu\text{-MeAs})Fe_2(CO)_6]_2$, 255

Carbene complexes
Cp*Ru-allylcarbene complexes by nucleophilic attack of cyclic Cp*Ru-dicarbenes, 249

Carboxylic acid
Diastereomeric amides from *rac*-3,3′,4,4′-tetramethyl-1,1′-diphosphaferrocene-2-carboxylic acid and (*S*)-α-phenylethylamine: separation and determination of absolute configuration, 135

Catalysis
Catalytic addition of ferrocenyl ketones to olefins with the aid of $Ru(H)_2(CO)(PPh_3)_3$, 127

Catalytic C–H/olefin coupling
Catalytic addition of ferrocenyl ketones to olefins with the aid of $Ru(H)_2(CO)(PPh_3)_3$, 127

Catecholato
Synthesis of *supine–prone* bis(diene)tungsten complexes bearing catecholate and diphenylacetylene ligands, 221

Central chirality
Diastereomeric amides from *rac*-3,3′,4,4′-tetramethyl-1,1′-diphosphaferrocene-2-carboxylic acid and (*S*)-α-phenylethylamine: separation and determination of absolute configuration, 135

C–H bond cleavage
Catalytic addition of ferrocenyl ketones to olefins with the aid of $Ru(H)_2(CO)(PPh_3)_3$, 127

Chromium
Insertion of alkynes into diterpenoid chromium aminocarbenes: synthesis of ring-C aromatic steroidal analogues, 206

Cobaloxime
Organocobaloximes with mixed dioxime equatorial ligands: a convenient one-pot synthesis. X-ray crystal structures of $BnCo^{III}$(dmgH)(dpgH)Py and $BnCO^{III}$(chgH)(dpgH)py, 80

Cobalt
Organocobaloximes with mixed dioxime equatorial ligands: a convenient one-pot synthesis. X-ray crystal structures of $BnCo^{III}$(dmgH)(dpgH)Py and $BnCO^{III}$(chgH)(dpgH)py, 80

CO-bridged anions
Synthesis of single and double butterfly iron carbonyl complexes by reactions of $[(\mu\text{-RSe})(\mu\text{-CO})Fe_2(CO)_6]^-$ anions. Crystal structures of $(\mu\text{-}p\text{-}MeC_6H_4Se)[\mu\text{-}PhCH_2N(H)C{=}S]Fe_2(CO)_6$ and $[(\mu\text{-PhSe})(\mu\text{-MeAs})Fe_2(CO)_6]_2$, 255

Crystal structure
New approach to 1-(phenylethynyl)germatranes and 1-(phenylethynyl)-3,7,10-trimethylgermatrane. Reactions of 1-(phenylethynyl)germatrane with *N*-bromosuccinimide and bromine, 1

PII: S0022-328X(01)00809-9

Crystal structures
Catalytic addition of ferrocenyl ketones to olefins with the aid of $Ru(H)_2(CO)(PPh_3)_3$, 127
Further studies on dialkyltin 1,3-dithiole-2-thione-4,5-dithiolates, $R_2Sn(dmit)$. Crystal structures of orthorhombic- and monoclinic-$Et_2Sn(dmit)$, and $Me_2Sn(dmit)$, 189
Synthesis, characterisation and optical properties of symmetrical and unsymmetrical Pt(II) and Pd(II) bis-acetylides. Crystal structure of *trans*-$[Pt(PPh_3)_2(C{\equiv}C{-}C_6H_5)(C{\equiv}C{-}C_6H_4NO_2)]$, 13
Synthesis, structural characterization and ^{57}Fe-Mössbauer spectra of ferrocenylhexasilanes, 167
C–S cleavage
Unexpected formation of the novel mixed μ-oxo, μ-sulfido, bis(μ-thiolato) compound $[Mo(IV)_2Cp_2(\mu\text{-}O)(\mu\text{-}S)(\mu\text{-}SMe)_2]$, 67
Cu(I) complexes
Copper(I) complexes with the hexaazafulleroid $C_{60}(NR)_6$, derived from (2*S*,4*S*)-4-azido-1-benzyloxycarbonyl-2-(*t*-butylaminocarbonyl)pyrrolidine as multitopic ligand. Catalytic properties in oxidation of sulfides, 159
Cyanide bridging
Cyanide bridged oligonuclear complexes containing CuCl and $CuCl_2$, 153
Cyclic thioethers
A comparison of the reactions of pentacarbonyliron with cyclic thioethers and related dialkyl sulfides, 201
Cyclic voltammetry
From dihydropentafulvalenes to asymmetric biferrocene and terferrocene, 71
β-Cyclodextrin
Bromination of ferrocene chalcone derivatives mediated by β-cyclodextrin, 93
Cyclopentaannulation
Insertion of alkynes into diterpenoid chromium aminocarbenes: synthesis of ring-C aromatic steroidal analogues, 206
Cyclopentadienyl
Synthesis of titanium trichloride complexes of 1,2,3-trisubstituted cyclopentadienyls and their use in styrene polymerization, 233
Cyclopentadienyl complexes
Vibrational spectra and structure of the cyclopentadienyl-anion (Cp^-), the pentamethylcyclopentadienyl-anion (Cp^{*-}) and of alkali metal cyclopentadienyls CpM and Cp*M (M = Li, Na, K), 55

Density functional theory
Vibrational spectra and structure of the cyclopentadienyl-anion (Cp^-), the pentamethylcyclopentadienyl-anion (Cp^{*-}) and of alkali metal cyclopentadienyls CpM and Cp*M (M = Li, Na, K), 55
Dialkyl sulfides
A comparison of the reactions of pentacarbonyliron with cyclic thioethers and related dialkyl sulfides, 201
2,2′-Dihydroxy-1,1′-binaphthyl
Functional chiral hybrid silica gels prepared from (*R*)- or (*S*)-binaphthol derivatives, 239
Dimerization
Regio- and stereoselective ring-opening dimerization–cross-coupling metathesis of 7-oxanorbornene derivatives, 105
2,3-Dimethylbutadiene
Synthesis of *supine–prone* bis(diene)tungsten complexes bearing catecholate and diphenylacetylene ligands, 221
Dinuclear complex
Synthesis and crystal structure of twisted dinuclear η^3-allylpalladium complexes containing tetradentate nitrogen ligands, 121
Dinuclear complexes
Unexpected formation of the novel mixed μ-oxo, μ-sulfido, bis(μ-thiolato) compound $[Mo(IV)_2Cp_2(\mu\text{-}O)(\mu\text{-}S)(\mu\text{-}SMe)_2]$, 67
Dinuclear, trinuclear and tetranuclear complexes
Cyanide bridged oligonuclear complexes containing CuCl and $CuCl_2$, 153
Dioxime
Organocobaloximes with mixed dioxime equatorial ligands: a convenient one-pot synthesis. X-ray crystal structures of $BnCo^{III}(dmgH)(dpgH)Py$ and $BnCO^{III}(chgH)(dpgH)py$, 80
Diphenylacetylene
Synthesis of *supine–prone* bis(diene)tungsten complexes bearing catecholate and diphenylacetylene ligands, 221
1,1′-Diphosphaferrocene
Diastereomeric amides from *rac*-3,3′,4,4′-tetramethyl-1,1′-diphosphaferrocene-2-carboxylic acid and (*S*)-α-phenylethylamine: separation and determination of absolute configuration, 135
Diterpenoid
Insertion of alkynes into diterpenoid chromium aminocarbenes: synthesis of ring-C aromatic steroidal analogues, 206
1,3-Dithiole-2-thione-4,5-dithiolate
Further studies on dialkyltin 1,3-dithiole-2-thione-4,5-dithiolates, $R_2Sn(dmit)$. Crystal structures of orthorhombic- and monoclinic-$Et_2Sn(dmit)$, and $Me_2Sn(dmit)$, 189

Electrochemical studies
Re(V)–oxo–dppf and Re(V)–imido–dppf complexes: synthesis, structure, and properties of $Re(X)Cl_3(dppf)$ (X = O, NPh, *N*-C_6H_3-2,6-*i*-Pr_2; dppf = $Fe(\eta^5\text{-}C_5H_4PPh_2)_2$), 226
Electrochemistry
Cyanide bridged oligonuclear complexes containing CuCl and $CuCl_2$, 153
Electrophiles
Synthesis of single and double butterfly iron carbonyl complexes by reactions of $[(\mu\text{-}RSe)(\mu\text{-}CO)Fe_2(CO)_6]^-$ anions. Crystal structures of $(\mu\text{-}p\text{-}MeC_6H_4Se)[\mu\text{-}PhCH_2N(H)C{-}S]Fe_2(CO)_6$ and $[(\mu\text{-}PhSe)(\mu\text{-}MeAs)Fe_2(CO)_6]_2$, 255
erythro-Dibromide
Bromination of ferrocene chalcone derivatives mediated by β-cyclodextrin, 93

Ferrocene
Catalytic addition of ferrocenyl ketones to olefins with the aid of $Ru(H)_2(CO)(PPh_3)_3$, 127
Synthesis, structural characterization and ^{57}Fe-Mössbauer spectra of ferrocenylhexasilanes, 167
Ferrocenyl chalcone
Bromination of ferrocene chalcone derivatives mediated by β-cyclodextrin, 93
Free aryldiazene
Preparation of aryldiazene complexes of rhodium, 99
FTIR
Vibrational spectra and structure of the cyclopentadienyl-anion (Cp^-), the pentamethylcyclopentadienyl-anion (Cp^{*-}) and of alkali metal cyclopentadienyls CpM and Cp*M (M = Li, Na, K), 55
FT-Raman spectroscopy
Vibrational spectra and structure of the cyclopentadienyl-anion (Cp^-), the pentamethylcyclopentadienyl-anion (Cp^{*-}) and of alkali metal cyclopentadienyls CpM and Cp*M (M = Li, Na, K), 55
[60]Fullerene
Copper(I) complexes with the hexaazafulleroid $C_{60}(NR)_6$, derived from (2*S*,4*S*)-4-azido-1-benzyloxycarbonyl-2-(*t*-butylaminocarbonyl)pyrrolidine as multitopic ligand. Catalytic properties in oxidation of sulfides, 159

Germanium
Five- and six-membered ring Group 14 chalcogenides of the types $(Me_2ME)_2$ (M = Si, Ge, Sn), $E(Si_2Me_4)_2E$, $Me_4Si_2(E)_2MR_2$ (MR_2 = $C(CH_2)_5$, $SiMe_2$, $GeMe_2$, $SnMe_2$, $SnPh_2$, BPh) and $[Me_4Si_2(E)_2SiMe-]_2$ (E = S, Se, Te), 23
Germatrane
New approach to 1-(phenylethynyl)germatranes and 1-(phenylethynyl)-3,7,10-trimethylgermatrane. Reactions of 1-(phenylethynyl)germatrane with *N*-bromosuccinimide and bromine, 1

Heterogenised catalyst
Modified silica-heterogenised catalysts for use in aqueous enantioselective hydrogenations, 37
Hexaazafulleroid
Copper(I) complexes with the hexaazafulleroid $C_{60}(NR)_6$, derived from (2*S*,4*S*)-4-azido-1-benzyloxycarbonyl-2-(*t*-butylaminocarbonyl)pyrrolidine as multitopic ligand. Catalytic properties in oxidation of sulfides, 159
Hybrid silica gels
Functional chiral hybrid silica gels prepared from (*R*)- or (*S*)-binaphthol derivatives, 239

Immobilized catalysts
Immobilized rhodium hydrogenation catalysts, 44
Inclusion complex
Bromination of ferrocene chalcone derivatives mediated by β-cyclodextrin, 93
In situ reactions
Synthesis of single and double butterfly iron carbonyl complexes by reactions of $[(\mu\text{-RSe})(\mu\text{-CO})Fe_2(CO)_6]^-$ anions. Crystal structures of $(\mu\text{-}p\text{-}MeC_6H_4Se)[\mu\text{-}PhCH_2N(H)C\text{=}S]Fe_2(CO)_6$ and $[(\mu\text{-PhSe})(\mu\text{-MeAs})Fe_2(CO)_6]_2$, 255
Iron carbonyls
A comparison of the reactions of pentacarbonyliron with cyclic thioethers and related dialkyl sulfides, 201
Iron(II) half-sandwich
From dihydropentafulvalenes to asymmetric biferrocene and terferrocene, 71

'Manxane'
Synthesis and spectral characterisation of organotin(IV) 1,3,5-triazine-2,4,6-trithiolato complexes, including the crystal structures of 1,3,5-$(R_2Sn)_3C_3N_3S_3$ (R = Me, Ph), 6
Metallacycles
Cp*Ru-allylcarbene complexes by nucleophilic attack of cyclic Cp*Ru-dicarbenes, 249
Metathesis
Regio- and stereoselective ring-opening dimerization–cross-coupling metathesis of 7-oxanorbornene derivatives, 105
Methyl and fluorine substituents
A convenient synthesis of bromopentaarylcyclopentadienes containing methyl or fluorine substituents, 179
Mixed ligands
Dinuclear molybdenum complexes containing the novel $\mu,\eta^{1,3}\text{-}AsS_2$ ligand: synthesis and molecular structure of $[\{Cp^*Mo_2(CO)_2As_2S_4\}\cdot 2Cr(CO)_5]\cdot 0.5CH_2Cl_2$ ($Cp^* = C_5Me_5$), 139
Mo(IV) complexes
Unexpected formation of the novel mixed μ-oxo, μ-sulfido, bis(μ-thiolato) compound $[Mo(IV)_2Cp_2(\mu\text{-}O)(\mu\text{-}S)(\mu\text{-}SMe)_2]$, 67
Molybdenum
Dinuclear molybdenum complexes containing the novel $\mu,\eta^{1,3}\text{-}AsS_2$ ligand: synthesis and molecular structure of $[\{Cp^*Mo_2(CO)_2As_2S_4\}\cdot 2Cr(CO)_5]\cdot 0.5CH_2Cl_2$ ($Cp^* = C_5Me_5$), 139
Mo–Mo bonding
Unexpected formation of the novel mixed μ-oxo, μ-sulfido, bis(μ-thiolato) compound $[Mo(IV)_2Cp_2(\mu\text{-}O)(\mu\text{-}S)(\mu\text{-}SMe)_2]$, 67
Mössbauer
Synthesis and spectral characterisation of organotin(IV) 1,3,5-triazine-2,4,6-trithiolato complexes, including the crystal structures of 1,3,5-$(R_2Sn)_3C_3N_3S_3$ (R = Me, Ph), 6
Mössbauer spectroscopy
Synthesis, structural characterization and ^{57}Fe-Mössbauer spectra of ferrocenylhexasilanes, 167

Norbornane
Synthesis and characterization of 2,5,7-trichalcogena-1,3,4,6-tetrasilanorbornanes $(RMeSiSiMe)_2E_3$ (R = Me, Ph; E = S, Se, Te), 144
Normal coordinate analysis
Vibrational spectra and structure of the cyclopentadienyl-anion (Cp^-), the pentamethylcyclopentadienyl-anion (Cp^{*-}) and of alkali metal cyclopentadienyls CpM and Cp*M (M = Li, Na, K), 55

Olefin hydrogenation
Immobilized rhodium hydrogenation catalysts, 44
Optical properties
Synthesis, characterisation and optical properties of symmetrical and unsymmetrical Pt(II) and Pd(II) bis-acetylides. Crystal structure of *trans*-$[Pt(PPh_3)_2(C\text{=}C\text{–}C_6H_3)(C\text{=}C\text{–}C_6H_4NO_2)]$, 13
Organocobaloxime
Organocobaloximes with mixed dioxime equatorial ligands: a convenient one-pot synthesis. X-ray crystal structures of $BnCo^{III}$(dmgH)(dpgH)Py and $BnCO^{III}$(chgH)(dpgH)py, 80
Organotin
Further studies on dialkyltin 1,3-dithiole-2-thione-4,5-dithiolates, R_2Sn(dmit). Crystal structures of orthorhombic- and monoclinic-Et_2Sn(dmit), and Me_2Sn(dmit), 189
Oxidation catalysts
Copper(I) complexes with the hexaazafulleroid $C_{60}(NR)_6$, derived from (2*S*,4*S*)-4-azido-1-benzyloxycarbonyl-2-(*t*-butylaminocarbonyl)pyrrolidine as multitopic ligand. Catalytic properties in oxidation of sulfides, 159
Oxo and sulfido bridges
Unexpected formation of the novel mixed μ-oxo, μ-sulfido, bis(μ-thiolato) compound $[Mo(IV)_2Cp_2(\mu\text{-}O)(\mu\text{-}S)(\mu\text{-}SMe)_2]$, 67

Palladium
Synthesis and crystal structure of twisted dinuclear η^1-allylpalladium complexes containing tetradentate nitrogen ligands, 121
Planar chirality
Diastereomeric amides from *rac*-3,3',4,4'-tetramethyl-1,1'-diphosphaferrocene-2-carboxylic acid and (*S*)-α-phenylethylamine: separation and determination of absolute configuration, 135
Polymerization
Synthesis of titanium trichloride complexes of 1,2,3-trisubstituted cyclopentadienyls and their use in styrene polymerization, 233
Polymorphism
Further studies on dialkyltin 1,3-dithiole-2-thione-4,5-dithiolates, R_2Sn(dmit). Crystal structures of orthorhombic- and monoclinic-Et_2Sn(dmit), and Me_2Sn(dmit), 189
Polysilanes
Synthesis, structural characterization and ^{57}Fe-Mössbauer spectra of ferrocenylhexasilanes, 167

Pt, Pd acetylides
Synthesis, characterisation and optical properties of symmetrical and unsymmetrical Pt(II) and Pd(II) bis-acetylides. Crystal structure of *trans*-[Pt(PPh$_3$)$_2$(C≡C–C$_6$H$_4$)(C≡C–C$_6$H$_4$NO$_2$)], 13

Regioselective synthesis
Regio- and stereoselective ring-opening dimerization–cross-coupling metathesis of 7-oxanorbornene derivatives, 105
Regiospecific reactions
A convenient synthesis of bromopentaarylcyclopentadienes containing methyl or fluorine substituents, 179
Re(V)–imido complexes
Re(V)–oxo–dppf and Re(V)–imido–dppf complexes: synthesis, structure, and properties of Re(X)Cl$_3$(dppf) (X = O, NPh, *N*-C$_6$H$_3$-2,6-*i*-Pr$_2$; dppf = Fe(η^5-C$_5$H$_4$PPh$_2$)$_2$), 226
Re(V)–oxo complexes
Re(V)–oxo–dppf and Re(V)–imido–dppf complexes: synthesis, structure, and properties of Re(X)Cl$_3$(dppf) (X = O, NPh, *N*-C$_6$H$_3$-2,6-*i*-Pr$_2$; dppf = Fe(η^5-C$_5$H$_4$PPh$_2$)$_2$), 226
Rhodium
Modified silica-heterogenised catalysts for use in aqueous enantioselective hydrogenations, 37
Preparation of aryldiazene complexes of rhodium, 99
Rhodium complexes
Immobilized rhodium hydrogenation catalysts, 44
RSe-bridged anions
Synthesis of single and double butterfly iron carbonyl complexes by reactions of [(μ-RSe)(μ-CO)Fe$_2$(CO)$_6$]$^-$ anions. Crystal structures of (μ-*p*-MeC$_6$H$_4$Se)[μ-PhCH$_2$N(H)C=S]Fe$_2$(CO)$_6$ and [(μ-PhSe)(μ-MeAs)Fe$_2$(CO)$_6$]$_2$, 255
Ru(H)$_2$CO(PPh$_3$)$_3$
Catalytic addition of ferrocenyl ketones to olefins with the aid of Ru(H)$_2$(CO)(PPh$_3$)$_3$, 127
Ruthenium
Cp*Ru-allylcarbene complexes by nucleophilic attack of cyclic Cp*Ru-dicarbenes, 249

Modified silica-heterogenised catalysts for use in aqueous enantioselective hydrogenations, 37
Regio- and stereoselective ring-opening dimerization–cross-coupling metathesis of 7-oxanorbornene derivatives, 105

Selenides
Five- and six-membered ring Group 14 chalcogenides of the types (Me$_2$ME)$_3$ (M = Si, Ge, Sn), E(Si$_2$Me$_4$)$_2$E, Me$_4$Si$_2$(E)$_2$MR$_x$ (MR$_x$ = C(CH$_2$)$_5$, SiMe$_2$, GeMe$_2$, SnMe$_2$, SnPh$_2$, BPh) and [Me$_4$Si$_2$(E)$_2$SiMe–]$_2$ (E = S, Se, Te), 23
Selenium
Synthesis and characterization of 2,5,7-trichalcogena-1,3,4,6-tetrasilanorbornanes (RMeSiSiMe)$_2$E$_3$ (R = Me, Ph; E = S, Se, Te), 144
Silane
Synthesis and characterization of 2,5,7-trichalcogena-1,3,4,6-tetrasilanorbornanes (RMeSiSiMe)$_2$E$_3$ (R = Me, Ph; E = S, Se, Te), 144
Silica
Modified silica-heterogenised catalysts for use in aqueous enantioselective hydrogenations, 37
Silica support
Immobilized rhodium hydrogenation catalysts, 44
Silthiane
Synthesis and characterization of 2,5,7-trichalcogena-1,3,4,6-tetrasilanorbornanes (RMeSiSiMe)$_2$E$_3$ (R = Me, Ph; E = S, Se, Te), 144
Silthianes
Five- and six-membered ring Group 14 chalcogenides of the types (Me$_2$ME)$_3$ (M = Si, Ge, Sn), E(Si$_2$Me$_4$)$_2$E, Me$_4$Si$_2$(E)$_2$MR$_x$ (MR$_x$ = C(CH$_2$)$_5$, SiMe$_2$, GeMe$_2$, SnMe$_2$, SnPh$_2$, BPh) and [Me$_4$Si$_2$(E)$_2$SiMe–]$_2$ (E = S, Se, Te), 23
Solid-state NMR
Immobilized rhodium hydrogenation catalysts, 44
(2*S*,4*S*)-4-Azido-1-benzyloxycarbonyl-2-(*t*-butylaminocarbonyl)pyrrolidine
Copper(I) complexes with the hexaazafulleroid C$_{60}$(NR)$_6$, derived from (2*S*,4*S*)-4-azido-1-benzyloxycarbonyl-2-(*t*-butylaminocarbonyl)pyrrolidine as multitopic ligand. Catalytic properties in oxidation of sulfides, 159
Steroidal
Insertion of alkynes into diterpenoid chromium aminocarbenes: synthesis of ring-C aromatic steroidal analogues, 206
Structure
Dinuclear molybdenum complexes containing the novel μ,η$^{1:3}$-AsS$_2$ ligand: synthesis and molecular structure of [{Cp*Mo$_2$(CO)$_2$As$_2$S$_4$}$_2$Cr(CO)$_3$]·0.5CH$_2$Cl$_2$ (Cp* = C$_5$Me$_5$), 139
Structures
Cyanide bridged oligonuclear complexes containing CuCl and CuCl$_2$, 153
Styrene
Synthesis of titanium trichloride complexes of 1,2,3-trisubstituted cyclopentadienyls and their use in styrene polymerization, 233
Sulfur
Dinuclear molybdenum complexes containing the novel μ,η$^{1:3}$-AsS$_2$ ligand: synthesis and molecular structure of [{Cp*Mo$_2$(CO)$_2$As$_2$S$_4$}$_2$Cr(CO)$_3$]·0.5CH$_2$Cl$_2$ (Cp* = C$_5$Me$_5$), 139
Syndiotactic
Synthesis of titanium trichloride complexes of 1,2,3-trisubstituted cyclopentadienyls and their use in styrene polymerization, 233

Tellurides
Five- and six-membered ring Group 14 chalcogenides of the types (Me$_2$ME)$_3$ (M = Si, Ge, Sn), E(Si$_2$Me$_4$)$_2$E, Me$_4$Si$_2$(E)$_2$MR$_x$ (MR$_x$ = C(CH$_2$)$_5$, SiMe$_2$, GeMe$_2$, SnMe$_2$, SnPh$_2$, BPh) and [Me$_4$Si$_2$(E)$_2$SiMe–]$_2$ (E = S, Se, Te), 23
Tellurium
Synthesis and characterization of 2,5,7-trichalcogena-1,3,4,6-tetrasilanorbornanes (RMeSiSiMe)$_2$E$_3$ (R = Me, Ph; E = S, Se, Te), 144
Terferrocene
From dihydropentafulvalenes to asymmetric biferrocene and terferrocene, 71
Tetrahydrofurans
Regio- and stereoselective ring-opening dimerization–cross-coupling metathesis of 7-oxanorbornene derivatives, 105
Tin
Five- and six-membered ring Group 14 chalcogenides of the types (Me$_2$ME)$_3$ (M = Si, Ge, Sn), E(Si$_2$Me$_4$)$_2$E, Me$_4$Si$_2$(E)$_2$MR$_x$ (MR$_x$ = C(CH$_2$)$_5$, SiMe$_2$, GeMe$_2$, SnMe$_2$, SnPh$_2$, BPh) and [Me$_4$Si$_2$(E)$_2$SiMe–]$_2$ (E = S, Se, Te), 23
Synthesis and spectral characterisation of organotin(IV) 1,3,5-triazine-2,4,6-trithiolato complexes, including the crystal structures of 1,3,5-(R$_3$Sn)$_3$C$_3$N$_3$S$_3$ (R = Me, Ph), 6
Titanium
Synthesis of titanium trichloride complexes of 1,2,3-trisubstituted cyclopentadienyls and their use in styrene polymerization, 233

1,3,5-Triazine-2,4,6-trithiolato
Synthesis and spectral characterisation of organotin(IV) 1,3,5-triazine-2,4,6-trithiolato complexes, including the crystal structures of 1,3,5-$(R_3Sn)_3C_3N_3S_3$ (R = Me, Ph), 6

Tungsten
Synthesis of *supine–prone* bis(diene)tungsten complexes bearing catecholate and diphenylacetylene ligands, 221

X-ray structures
Synthesis of single and double butterfly iron carbonyl complexes by reactions of $[(\mu\text{-RSe})(\mu\text{-CO})Fe_2(CO)_6]^-$ anions. Crystal structures of $(\mu\text{-}p\text{-}MeC_6H_4Se)(\mu\text{-}PhCH_2N(H)C\text{–}S)Fe_2(CO)_6$ and $[(\mu\text{-PhSe})(\mu\text{-MeAs})Fe_2(CO)_6]_2$, 255